
Longji Construction Machinery





4×2-3 Tractor

Description

 Shanghai Longji Construction Machinery Co., Ltd.

 Add: Room 1311, Building C, Lane 58, No.1 East Xinjian Road, Minhang District, Shanghai City, China

 Post Code: 201100
 E-mail: info@shlongji.com

 Tel: +86-21-541-71571
 Fax: +86-21-541-71572

 Website: www.shlongji.com Wheel Loader,Road Roller,Dump Truck

 4×2 series tractor truck enjoys the advantages of strong tractor power, lower fuel consumption, stable and reliable performance and light weight. There are a variety of personalized configurations for option. It owns a driving cab with luxurious, elegant, beautiful, safe and comfortable properties. This trailer head truck is suitable for highway long-distance standard load transportation and short-distance transport. In addition to this 4×2 tractor truck, CAMC also provides 6×4 tractor head. Customers can choose a suitable type according to specific transportation requirements.

Competitive Advantages

1. Our $4 \times 2-3$ trailer head trucks use high efficient and oil-saving strong driving force and special vehicle suspension system. It is relaxing and comfortable for operation.

2. The interior configurations of this tractor truck are arranged perfectly. The elegant and delighted driving environment is built on the international advanced comfortable and human-oriented design.

Product Name		Tractor Truck
Product Model		HN4180P34C4M3
Place of Origin		Maanshan, Anhui, China
Kerb mass		7.5 ton
Rated Payload		50 ton
Drive Type		Left-Hand (Optional RHD)
Drive Model		4×2
Vehicle Body Color		Yellow(optional)
Overall Dimension (L \times W \times H) mm		$6170 \times 2500 \times 3100$
	Brand	DONGFENG CUMMINS
	Model	L375 30
	Max. Power (kw/r/min)	276/2200
	Max. Torque (N. m/r/min)	1480/1400
F	No. of Cylinder	6
Engine	Bore × Stroke (mm)	114×145
	Displacement	8900 ml
	Control Type	Mechanical
	Air Cleaner	Dry Paper Element
	Emission Standard	Euro II
Clutch	Туре	Hydraulic Control with Air Assisted
	Plate Diameter	Dry Single Plate with Diaphragm
		Outside Diameter: 430 mm

Main Parameters of 4×2-3 Trailer Head Truck

Transmission	Brand	FAST GEAR
	Model	12JS160T (12-speed & 2-reverse)
	Туре	Mechanical
The Number of Axles		2
Rear Axle (Drive Axle)-Load		16000 kg
Front Axle-Load		7500 kg
Cabin Type		Classic Flat-Roof (Optional EF, CH, EH)
Cabin		With A/C, Radio, MP3, Bunk
Brake System	Service	Full Air Brake Dual Circuit
	Parking	Spring Actuator at Rear Wheels
	Auxiliary	Exhaust Break
Steering System		Recirculation Ball with Integral Power Assisted by Oil
Wheelbase (mm)		3400
	Туре	Bias/Radial Tube/Radial Tubeless
Wheel/Tire	Model (Optional)	11.00-20/11.00R20/11R22.5 12.00-20/12.00R20/12R22.5
	Tire Number	6+1
Fuel Tank	Volume (L)	350
The Working Platform		With
Diversion Cover		Optional
Front Overhang/Rear Overhang (mm)		1370/1020
Approach/Departure Angle ()		24/23
No. of Steel Spring (Front/Rear)		9/9+6
Max. Speed (km/h)		90

Established in 2003, Shanghai Longji Construction Machinery Co., Ltd is a specialized company dedicated to producing tractor trucks in China. In addition to this trailer head truck, our products also include mixer truck, cargo truck, general dump truck, mining dump truck, special vehicle chassis and overall vehicle series for engineering and municipal government, heavy axle, and so on. We have a professional technical team, some of who have decades of working experience and predominant R & D ability. Our 4×2 tractor trucks are exported to more than 60 nations and regions, such as Eastern Europe, North Africa, the Middle East, Central Asia, Southeast Asia, South America, etc. CAMC trailer head trucks or tractor heads have got high recognition by customers both home and abroad.