

XCMG HB56 Truck Mounted Concrete Pump



Travel			
Category	Item	Unit	Parameter
Chassis	Model		FM440
	Manufacturer		VOLVO
	Max. speed	km/h	90
	Max. gradeability		38%
	Min. turning diameter	m	27.4
	Brake distance	m	≤10
	Wheelbase	mm	1995+5205+1370+1450
	Tread (front/rear)	mm	2028/1872

Shanghai Longji Construction Machinery Co., Ltd.

Add: Room 1311, Building C, Lane 58, No.1 East Xinjian Road, Minhang District, Shanghai City, China

Post Code: 201100

Website: www.shlongji.com

E-mail: info@shlongji.com

Tel: +86-21-541-71571

Fax: +86-21-541-71572

	Approach angle/departure angle	°	18/11
	Min. clearance	mm	270
	Tyre specification		12.00R20
Engine	Model		D13
	Output power	kw/(r/min)	324/1400~1800
	Max. torque	N.m/(r/min)	2200/1050~1400
	Displacement	l	12.8
	Emission Standard		Nation III GBIII
Others	Dimension (Length×Width×Height)	mm	14885×2500×3990
	Total vehicle weight	kg	49750
	Fuel tank capacity	l	410
	Fuel consumption per 100km	l/100km	50
Pumping operation			
Pumping system	Theoretical output(high pressure/low pressure)	m ³ /h	100/163
	Concrete pumping pressure(high pressure/low pressure)	Mpa	13/8
	Theoretical pumping times(high pressure/low pressure)	次/min	13/21
	Max. diameter of pumping concrete aggregate		40
	Feeding height		1530
Placing boom	Pumping slump range		12-23
	Reach height		55.7
	Reach depth		44
	Slewing radius		51.7
	Slewing angle		364
	1st boom stretch angle		96

Shanghai Longji Construction Machinery Co., Ltd.

Add: Room 1311, Building C, Lane 58, No.1 East Xinjian Road, Minhang District, Shanghai City, China

Post Code: 201100

Website: www.shlongji.com

E-mail: info@shlongji.com

Tel: +86-21-541-71571

Fax: +86-21-541-71572

	2nd boom stretch angle		180
	3rd boom stretch angle		180
	4th boom stretch angle		180
	5th boom stretch angle		260
	Outrigger span	Overall outrigger span	11250±50
		Front outrigger transverse span	11400±50
		Rear outrigger transverse span	11300±50
Others	Dosing type		S valve
	Lubricating method		Automatic lubrication
	Controlling method		Manual/remote control
	Water tank capacity		700
	Max. pressure of water pump		2

Shanghai Longji Construction Machinery Co., Ltd.

Add: Room 1311, Building C, Lane 58, No.1 East Xinjian Road, Minhang District, Shanghai City, China

Post Code: 201100

Website: www.shlongji.com

E-mail: info@shlongji.com

Tel: +86-21-541-71571

Fax: +86-21-541-71572