

XCMG XE65CA Compact Excavator



Model			XE65CA
Operating weight		kg	6200
Standard bucket capacity		m ³	0.09-0.25
Engine	Engine Model	/	4TNV94L
	Direct injection	/	√
	Four strokes	/	√
	Water cooling	/	√
	Turbo charged	/	×
	Air to air intercooler	/	×
	No. of cylinders	/	4
	Rated power/speed	kw/rpm	39.8/2200
	Max. torque/speed	N.m	214/1100
	Displacement	L	3.054

Shanghai Longji Construction Machinery Co., Ltd.

Add: Room 1311, Building C, Lane 58, No.1 East Xinjian Road, Minhang District, Shanghai City, China

Post Code: 201100

Website: www.shlongji.com

E-mail: info@shlongji.com

Tel: +86-21-541-71571

Fax: +86-21-541-71572

The main performance	Travel speed	km/h	4.2/2.2
	Swing speed	r/min	11
	Max. gradeability	/	35
	Ground pressure	kPa	32.5
	Max.Bucket digging force	kN	48.3
	Max.arm crowd force	kN	32.5
	Max.traction force		50.5
Hydraulic system	Main pump	/	力士乐/奥盖尔
	Rate flow of main pump	L/min	138/143
	Max pressure of prime relief valve	MPa	24.5
	Max pressure of travel system	MPa	22
	Max pressure of swing system	MPa	21
	Max pressure of pilot system	MPa	3.5
	Fuel tank capacity	L	110
Oil capacity	Hydraulic tank capacity	L	85
	Engine lubrication	L	12
	A Overall length	mm	5860
Overall dimensions	B Overall width	mm	1920
	C Overall height	mm	2585
	D Overall width of upperstructure	mm	1780
	E Track length	mm	2540
	F Overall width of undercarriage	mm	1920
	G crawler width	mm	400
	H Dozer black(width/height)	mm	1920×340
	I Tumbler distance	mm	1990

Shanghai Longji Construction Machinery Co., Ltd.

Add: Room 1311, Building C, Lane 58, No.1 East Xinjian Road, Minhang District, Shanghai City, China

Post Code: 201100

Website: www.shlongji.com

E-mail: info@shlongji.com

Tel: +86-21-541-71571

Fax: +86-21-541-71572

	J Crawler gauge	mm	original X frame 1600,new X frame 1500
	K Clearance under counter weight	mm	710
	L Ground clearance	mm	385
	M Min.tail swing radius	mm	1660
	A Max. digging height	mm	5630
Working range	B Max. dumping height	mm	3945
	C Max. digging depth	mm	3830
	E Max. vertical wall digging depth	mm	2680
	F Max. digging reach	mm	6130
	G Min. swing radius	mm	2460
	H Max.dozer lifting height	mm	390
	I Max.dozer cutting depth	mm	560
	Angle of arm deflection	Degree	/

Shanghai Longji Construction Machinery Co., Ltd.

Add: Room 1311, Building C, Lane 58, No.1 East Xinjian Road, Minhang District, Shanghai City, China

Post Code: 201100

Website: www.shlongji.com

E-mail: info@shlongji.com

Tel: +86-21-541-71571

Fax: +86-21-541-71572